

SAFETY DATA SHEET - ALOCIT 28.15 GREY RAL 7004 RESIN



SAFETY DATA SHEET

ALOCIT 28.15 STANDARD GREY RAL7004

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

1. Identification

Product identifier

Product name ALOCIT 28.15 STANDARD GREY RAL7004

Product number AS29498D _

Recommended use of the chemical and restrictions on use

Identified uses RESIN COMPONENT OF 2 PART EPOXY COATING SYSTEM

Uses advised against No specific uses advised against are identified

1.3. Details of the supplier of the safety data sheet

US Distributor: Alocit USA, 1128 South West Street, Indianapolis, Indiana 46225, US
Tel: +1 317 631-9100 Email: info@enviropeelusa.com

Manufacturer: Alocit International Ltd, 3 Charles Wood Road, Dereham, NR19 1SX UK
Phone: +44 (0)1362-694915 Fax: + 44 (0)1362-695350

1.4. Emergency telephone number

24 HR EMERGENCY TELEPHONE NUMBER: AUS: 61 (0) 400844736
UK: 44 (0) 7825 987326
US: 1 800 535 5053

2. Hazard(s) identification

Classification of the substance or mixture

OSHA Regulatory Status This Product is Hazardous under the OSHA Hazard Communication Standard.

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 Skin Sens. 1 - H317 Muta. 2 - H341

Label elements

Pictogram



Signal word Warning

Hazard statements H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H341 Suspected of causing genetic defects.

Important safety information: All risk statements in this MSDS refer to unmixed resin. Users should check hardener MSDS before mixing and be aware that, once resin and hardener are mixed and cured, product is inert.

SAFETY DATA SHEET - ALOCIT 28.15 GREY RAL 7004 RESIN

Precautionary statements	P201 Obtain special instructions before use.
	P202 Do not handle until all safety precautions have been read and understood.
	P261 Avoid breathing vapor/ spray.
	P264 Wash contaminated skin thoroughly after handling.
	P272 Contaminated work clothing must not be allowed out of the workplace.
	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
	P302+P352 If on skin: Wash with plenty of water.
	P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P308+P313 If exposed or concerned: Get medical advice/ attention.
	P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
	P337+P313 If eye irritation persists: Get medical advice/ attention.
	P362+P364 Take off contaminated clothing and wash it before reuse.
	P405 Store locked up.
P501 Dispose of contents/ container in accordance with national regulations.	

Contains	Epoxy resin (number average molecular weight \leq 700), 2,3-Epoxypropyl o-tolyl ether, 2-[(2-Hydroxyphenyl)methyl]phenol, Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.
-----------------	--

3. Composition/information on ingredients

Mixtures

Epoxy resin (number average molecular weight \leq 700)	25 - <50%
Barium sulfate CAS number: 7727-43-7	25 - <50%
Titanium dioxide CAS number: 13463-67-7	10 - <25%
2,3-Epoxypropyl o-tolyl ether CAS number: 2210-79-9	5 - <10%
Triiron tetraoxide CAS number: 1317-61-9	1 - <2.5%
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs. CAS number: 68609-97-2	0.025 - <0.25%
2-[(2-Hydroxyphenyl)methyl]phenol CAS number: 28064-14-4	0.025 - <0.25%
1-Methoxy-2-propanol CAS number: 107-98-2	0.025 - <0.25%

Ingredient notes	The exact percentage/concentration is withheld as a trade secret in accordance with 29 CFR 1910.1200.
-------------------------	---

SAFETY DATA SHEET - ALOCIT 28.15 GREY RAL 7004 RESIN

4. First-aid measures**Description of first aid measures**

General information	Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms are severe or persist.
Ingestion	Rinse mouth thoroughly with water. Get medical advice/attention if you feel unwell. Do not induce vomiting unless under the direction of medical personnel.
Skin Contact	It is important to remove the substance from the skin immediately. In the event of any sensitization symptoms developing, ensure further exposure is avoided. Remove contamination with soap and water or recognized skin cleansing agent. Get medical attention if symptoms are severe or persist after washing.
Eye contact	Rinse with water. Do not rub eye. Remove any contact lenses and open eyelids wide apart. Get medical attention if any discomfort continues.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.

Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	No specific symptoms known.
Ingestion	May cause discomfort if swallowed.
Skin contact	May cause skin sensitization or allergic reactions in sensitive individuals. Redness. Irritating to skin.
Eye contact	Irritating to eyes.

Indication of immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically. May cause sensitization or allergic reactions in sensitive individuals.
-----------------------------	--

5. Fire-fighting measures**Extinguishing media**

Suitable extinguishing media	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

Special hazards arising from the substance or mixture

Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors. Carbon dioxide (CO ₂). Carbon monoxide (CO). Halogenated hydrocarbons.

SAFETY DATA SHEET - ALOCIT 28.15 GREY RAL 7004 RESIN

Advice for firefighters

Protective actions during firefighting	Avoid breathing fire gases or vapors. Evacuate area. Keep upwind to avoid inhalation of gases, vapors, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapors and protect men stopping the leak. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Standard Firefighter's clothing including helmets, protective boots and gloves will provide a basic level of protection for chemical incidents.

6. Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet. Do not touch or walk into spilled material. Avoid contact with skin and eyes.
-----------------------------	---

Environmental precautions

Environmental precautions	Avoid discharge into drains and the aquatic environment.
----------------------------------	--

Methods and material for containment and cleaning up

Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Do not empty into drains. Absorb spillage with non-combustible, absorbent material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. For waste disposal, see Section 13. Wash thoroughly after dealing with a spillage.
--------------------------------	---

Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.
------------------------------------	---

7. Handling and storage**Precautions for safe handling**

Usage precautions	Read and follow manufacturer's recommendations. Keep away from food, drink and animal feeding stuffs. Suspected of causing genetic defects. Wear protective clothing as described in Section 8 of this safety data sheet. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Handle all packages and containers carefully to minimize spills. Keep container tightly sealed when not in use. Avoid discharge to the aquatic environment. Do not reuse empty containers.
--------------------------	--

Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse.
---	--

Conditions for safe storage, including any incompatibilities

Storage precautions	Store away from incompatible materials (see Section 10). Store locked up. Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep containers upright. Protect containers from damage.
----------------------------	--

Storage class	Miscellaneous hazardous material storage.
----------------------	---

Specific end uses(s)

Specific end use(s)	The identified uses for this product are detailed in Section 1.
----------------------------	---

SAFETY DATA SHEET - ALOCIT 28.15 GREY RAL 7004 RESIN

8. Exposure Controls/personal protection**Control parameters****Occupational exposure limits****Barium sulfate**Long-term exposure limit (8-hour TWA): OSHA 5 mg/m³ respirable fractionLong-term exposure limit (8-hour TWA): OSHA 15 mg/m³ total dustLong-term exposure limit (8-hour TWA): ACGIH 5 mg/m³ inhalable fraction**Titanium dioxide**Long-term exposure limit (8-hour TWA): ACGIH 10 mg/m³

A4

Long-term exposure limit (8-hour TWA): OSHA 15 mg/m³ total dust**Triiron tetraoxide**Long-term exposure limit (8-hour TWA): OSHA 10 mg/m³ fumeLong-term exposure limit (8-hour TWA): ACGIH 5 mg/m³

A4

Long-term exposure limit (8-hour TWA): OSHA 5 mg/m³ respirable fractionLong-term exposure limit (8-hour TWA): OSHA 15 mg/m³ total dust**1-Methoxy-2-propanol**Long-term exposure limit (8-hour TWA): ACGIH 50 ppm 184 mg/m³Short-term exposure limit (15-minute): ACGIH 100 ppm 369 mg/m³

A4

OSHA = Occupational Safety and Health Administration.

ACGIH = American Conference of Governmental Industrial Hygienists.

A4 = Not Classifiable as a Human Carcinogen.

Titanium dioxide (CAS: 13463-67-7)**Immediate danger to life and health** 5000 mg/m³**Triiron tetraoxide (CAS: 1317-61-9)****Immediate danger to life and health** 2500 mg/m³**Amorphous silica (CAS: 67762-90-7)****Immediate danger to life and health** 3000 mg/m³**Exposure controls****Protective equipment****Appropriate engineering controls**

Provide adequate general and local exhaust ventilation. Ensure the ventilation system is regularly maintained and tested. Good general ventilation should be adequate to control worker exposure to airborne contaminants. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection

Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

SAFETY DATA SHEET - ALOCIT 28.15 GREY RAL 7004 RESIN

Hand protection	Wear protective gloves. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with OSHA 1910.138 and be demonstrated to be impervious to the chemical and resist degradation. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.
Other skin and body protection	Avoid contact with skin. Avoid inhalation of vapors and spray/mists. Wear appropriate clothing to prevent any possibility of skin contact.
Hygiene measures	Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn. Ensure all respiratory protective equipment is suitable for its intended use and is NIOSH approved. Check that the respirator fits tightly and the filter is changed regularly.
Environmental exposure controls	Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored paste. or Colored liquid.
Color	Grey.
Odor	Slight.
Odor threshold	Not available.
pH	Not available.
Melting point	Not available.
Initial boiling point and range	Not available.
Flash point	>1500°C
Evaporation rate	Not available.
Upper/lower flammability or explosive limits	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	Not known.
Partition coefficient	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity	Not applicable.
Explosive properties	Not considered to be explosive.

SAFETY DATA SHEET - ALOCIT 28.15 GREY RAL 7004 RESIN

Oxidizing properties Does not meet the criteria for classification as oxidizing.

Other information No information required.

10. Stability and reactivity

Reactivity See the other subsections of this section for further details.

Stability Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.

Possibility of hazardous reactions The product may not be stable under some conditions of storage or use.

Conditions to avoid Avoid heat, flames and other sources of ignition.

Materials to avoid Strong oxidizing agents.

Hazardous decomposition products Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors. Carbon dioxide (CO₂). Carbon monoxide (CO).

11. Toxicological information

Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Irritating.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye irritation.

Respiratory sensitization

Respiratory sensitization Based on available data the classification criteria are not met.

Skin sensitization

Skin sensitization May cause skin sensitization or allergic reactions in sensitive individuals.

Germ cell mutagenicity

Genotoxicity - in vitro Suspected of causing genetic defects.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

IARC carcinogenicity

Contains a substance which may be potentially carcinogenic. IARC Group 2B Possibly carcinogenic to humans.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

SAFETY DATA SHEET - ALOCIT 28.15 GREY RAL 7004 RESIN

Reproductive toxicity - development Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

General information

May cause genetic defects. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

Inhalation

No specific symptoms known.

Ingestion

May cause discomfort if swallowed.

Skin Contact

May cause skin sensitization or allergic reactions in sensitive individuals. Redness. Irritating to skin.

Eye contact

Irritating to eyes.

Route of exposure

Ingestion Inhalation Skin and/or eye contact

Target Organs

No specific target organs known.

Medical considerations

Skin disorders and allergies.

12. Ecological Information**Toxicity**

Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects.

Persistence and degradability

Persistence and degradability The degradability of the product is not known.

Bioaccumulative potential

Bio-Accumulative Potential No data available on bioaccumulation.

Partition coefficient

Not available.

Mobility in soil**Mobility**

No data available.

Other adverse effects**Other adverse effects**

None known.

13. Disposal considerations**Waste treatment methods****General information**

Reuse or recycle products wherever possible. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.

SAFETY DATA SHEET - ALOCIT 28.15 GREY RAL 7004 RESIN

Disposal methods Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labeled with their contents. Incineration or landfill should only be considered when recycling is not feasible.

14. Transport information

Road transport notes SP375 – These substances when carried in Single or Combination packaging's containing a net Qty per single or inner packaging of 5ltr or less for liquids or having a net mass per single or inner packaging of 5kg or less for solids, are not subject to any provisions of ADR provided the packaging's meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8

Sea transport notes Chapter 2.10 – 2.10.2.7 – Marine Pollutants packaged in Single or Combination packaging's containing a net Qty per single or inner packaging of 5ltr or less for liquids or having a net mass per single or inner packaging of 5kg or less for solids, are not subject to any other provisions of this code relevant to Marine Pollutants, provided the packaging's meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8. In the case of Marine Pollutants also meeting the Criteria for inclusion in another class, all provisions of this code relevant to any additional hazards continue to apply

Air transport notes A197 - These substances when carried in Single or Combination packaging's containing a net Qty per single or inner packaging of 5ltr or less for liquids or having a net mass per single or inner packaging of 5kg or less for solids, are not subject to any other provisions of these regulations provided the packaging's meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8

14.1. UN Number

UN No. (TDG)	3082
UN No. (IMDG)	3082
UN No. (ICAO)	3082
UN No. (DOT)	UN3082

UN proper shipping name

Proper shipping name (TDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Epoxy resin (number average molecular weight \leq 700), 2,3-Epoxypropyl o-tolyl ether)

Proper shipping name (IMDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Epoxy resin (number average molecular weight \leq 700), 2,3-Epoxypropyl o-tolyl ether)

Proper shipping name (ICAO) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Epoxy resin (number average molecular weight \leq 700), 2,3-Epoxypropyl o-tolyl ether)

Proper shipping name (DOT) ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (CONTAINS Epoxy resin (number average molecular weight \leq 700), 2,3-Epoxypropyl o-tolyl ether)

Transport hazard class(es)

DOT hazard class	9
DOT hazard label	9
TDG class	9

SAFETY DATA SHEET - ALOCIT 28.15 GREY RAL 7004 RESIN

TDG label(s) 9

IMDG Class 9

ICAO class/division 9

DOT transport labels



Transport labels



Packing group

TDG Packing Group III

IMDG packing group III

ICAO packing group III

DOT packing group III

Environmental hazards

Environmentally Hazardous Substance



Special precautions for user

EmS F-A, S-F

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SAFETY DATA SHEET - ALOCIT 28.15 GREY RAL 7004 RESIN

15. Regulatory information

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are listed or exempt.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None of the ingredients are listed or exempt.

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed or exempt.

SARA 313 Emission Reporting

The following ingredients are listed or exempt:

Barium sulfate

1.0 %

CAA Accidental Release Prevention

None of the ingredients are listed or exempt.

FDA - Essential Chemical

None of the ingredients are listed or exempt.

FDA - Precursor Chemical

None of the ingredients are listed or exempt.

SARA (311/312) Hazard Categories

None of the ingredients are listed or exempt.

OSHA Highly Hazardous Chemicals

None of the ingredients are listed or exempt.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

The following ingredients are listed or exempt:

Amorphous silica

Known to the State of California to cause cancer.

Titanium dioxide

Known to the State of California to cause cancer.

California Air Toxics "Hot Spots" (A-I)

The following ingredients are listed or exempt:

1-Methoxy-2-propanol

Amorphous silica

California Air Toxics "Hot Spots" (A-II)

None of the ingredients are listed or exempt.

California Directors List of Hazardous Substances

The following ingredients are listed or exempt:

1-Methoxy-2-propanol

Amorphous silica

Triiron tetraoxide

SAFETY DATA SHEET - ALOCIT 28.15 GREY RAL 7004 RESIN

Massachusetts "Right To Know" List

The following ingredients are listed or exempt:

1-Methoxy-2-propanol

Amorphous silica

Barium sulfate

Titanium dioxide

Triiron tetraoxide

Rhode Island "Right To Know" List

The following ingredients are listed or exempt:

1-Methoxy-2-propanol

Titanium dioxide

Triiron tetraoxide

Minnesota "Right To Know" List

The following ingredients are listed or exempt:

1-Methoxy-2-propanol

Amorphous silica

Barium sulfate

Titanium dioxide

Triiron tetraoxide

New Jersey "Right To Know" List

The following ingredients are listed or exempt:

1-Methoxy-2-propanol

Barium sulfate

Titanium dioxide

Triiron tetraoxide

Pennsylvania "Right To Know" List

The following ingredients are listed or exempt:

1-Methoxy-2-propanol

Amorphous silica

Barium sulfate

Titanium dioxide

Triiron tetraoxide

Inventories

12/12

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

None of the ingredients are listed or exempt.

SAFETY DATA SHEET - ALOCIT 28.15 GREY RAL 7004 RESIN

16. Other information

Classification abbreviations and acronyms	Eye Irrit. = Eye irritation Muta. = Germ cell mutagenicity Skin Irrit. = Skin irritation Skin Sens. = Skin sensitisation Aquatic Chronic = Hazardous to the aquatic environment (chronic)
Training advice	Only trained personnel should use this material.
Revision date	12/01/2019
Revision	12
Supersedes date	15/12/2017
SDS No.	6647
Hazard statements in full	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H341 Suspected of causing genetic defects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

Uncured Resin:

All risk statements refer to unmixed resin product. Users should check MSDS for hardener before mixing and be aware that, once resin and hardener are mixed and cured, product is inert.

Cured product:

Cured epoxy products are inert and relatively harmless, traces of residual components may be left on the surface. Abrading will generate particles that should not be inhaled or ingested. Wet surfaces where possible before abrading. Provide ventilation, wear a suitable mask, gloves and cover exposed skin to prevent contact with the dust.



Alocit USA, 1128 South West Street, Indianapolis,
Indiana 46225, USA
Tel: +1 317 631-9100 Email: info@enviropelusa.com